Byggvarubedömningen's guideline and information requirements for assessment of product, Version 2016-1.

These guidelines describe what information that Byggvarubedömningen requires for assessment of articles and chemical products. Information about the article or chemical product can be provided in this document, alternatively refer to another documentation in which the corresponding information is given.

1. Product information

Product

Product name:	Inspektionstür in Holz 59/59 D. 87 mm				
Article No.:	10673				
Specify the type of number, for example RSK, E number, EAN, GTIN or supplier's article number. This should also be stated on the application.					
Product description:	Productgroup: Loftladder				
On application, please attach a product data sheet or similar documentation.	wall door				
Type of product:	☐ Chemical product	□X Article			
Date (year, month, day) of preparation/revision:	19.06.2018				
Supplier/Manufacturer					
Supplier:	MINKA Holz- und Metallverarbeitung	s GmbH			
Manufacturer if other than the supplier:					
Voluntary information					
Contact person:	Johannes Franek				
Address:	Flurgasse 6, A-8642 St. Lorenzen, Au	ustria			
E-mail:	Johannes.franek@minka.at				
Phone number:	+43/3864 2238-56				
Supporting documentation					
Has a declaration of performance, in line with the Swedish Construction Products Regulation, been prepared for the product?	☐ Yes	□Х №			
If yes, attach the declaration of performa	nce with the application				
Is the article/product an electronic product and covered by the RoHS-directive (2011/65/EU)?	☐ Yes	□Х №			
If yes, attach an "EU Declaration of Confo corresponds to the requirements according	ng to the RoHS-directive (2011/65/EU)	cate that attests that the product , together with the application			
If the article/product is an electronic product that is covered by an exemption according to RoHS-directive (2011/65/EU), specify which exemption and date (year, month, day) when the exemption expires if time-limited:	Exemptions according to RoHS: Date:				

2. Declaration of contents:

Specify the total content of the article or the chemical product, **on delivery**, in Table 1, or alternatively attach other documentation that provides the corresponding information. For instructions, please refer to the "Declaration of contents, BVB's declaration requirements, 2016-1", which is found at the end of this document.

Table 1. Contents of included substances and material (declaration of content in accordance with requirements)

Included substances and material								requirements
menada sabstantes and material	EG	We	ight%	When		Weight%	(of	Comments
	No./CAS	(of e	entire	applica	ble,	substance i	n	(state eventual
	No.	prod	duct)	state f		subcompon	ent)	application of
	(alternatively			which	.	·		non-harmonize
					_			classifications)
	alloy)				nponent			
wood (spruce / HDF / MDF)			24%	frame,				Anx. 4.1, 4.2
Steel (steel)		3,1	7%	hinges,	screws			Anx. 6.1, 6.3
oolystyrene (polystyrene)		9,8	0%	hatch ir	sulation			Anx. 2.1
plastics (PA / RakuPur)		0,79		sealing				Anx. 1.1, 3.1,
,								5.1
								♥. <u>=</u>
ro all substances reported in never the	oc down to 0.00	10/						
re all substances reported in percentag	es down to 0.0.	1%	□X Yes			☐ No		
n Table 1, alternatively follow the declar								
equirements for the level Recommende	d as described i	in						
Declaration of contents, BVB's declarat								
016-1, given at the end of this docume								
Enables the assessment Recommended)								
induces the assessment neconfinencea)								
f not, does the declaration fulfill the inst	ructions for the		□X Ye	_		□ NI a		
evel Accepted, as described in "Declara			⊔∧ Ye	5		□ No		
BVB's declaration requirements, 2016-1	, given at the	end						
of this document?								
f any deviations from BVB's reporting re			Other co	mments	:			
specify these in the comments in Table 1								
here.	,	,						
s the chemical composition different, fo	r the product w	hon						
		iieii	☐ Yes			⊠ No		
applied (cured product) compared to the	content at					i		
delivery? (applies to chemical products)								
, (. j. j. 22 22 22./mod. p. odaleco)								
	roduct in Table	2.						
	roduct in Table	2.						
f yes, specify the content of the cured p								
f yes, specify the content of the cured p			cordance	e with de	eclaration	requireme	nts)	
f yes, specify the content of the cured p		in acc						ments
f yes, specify the content of the cured p		in acc	cordance		Weight%		Com	ments any application
f yes, specify the content of the cured p		in acc			Weight% (of the appl	lied	Comi (state	any application
f yes, specify the content of the cured p		in acc			Weight%	lied	Comi (state non-h	any application armonized
yes, specify the content of the cured practical product and substances and material		in acc			Weight% (of the appl	lied	Comi (state non-h	any application
f yes, specify the content of the cured product fable 2, Contents for applied product ncluded substances and material		in acc			Weight% (of the appl	lied	Comi (state non-h	any application armonized
f yes, specify the content of the cured product fable 2, Contents for applied product ncluded substances and material		in acc			Weight% (of the appl	lied	Comi (state non-h	any application armonized
f yes, specify the content of the cured practice of the cured product of		in acc			Weight% (of the appl	lied	Comi (state non-h	any application armonized
f yes, specify the content of the cured practice of the cured product of		in acc			Weight% (of the appl	lied	Comi (state non-h	any application armonized
f yes, specify the content of the cured p Table 2, Contents for applied product Included substances and material None	s (full content	in αcc EG N			Weight% (of the appl	lied	Comi (state non-h	any application armonized
If yes, specify the content of the cured part of	s (full content	in αcc EG N	lo./CAS I		Weight% (of the approproduct)	lied	Comi (state non-h	any application armonized
f yes, specify the content of the cured p Table 2, Contents for applied product ncluded substances and material None f any deviations from BVB's reporting re	equirements exi	EG N	lo./CAS I	No.	Weight% (of the approproduct)	lied	Comi (state non-h	any application armonized
f yes, specify the content of the cured parallel for applied product ncluded substances and material sone	equirements exi	EG N	lo./CAS I	No.	Weight% (of the approproduct)	lied	Comi (state non-h	any application armonized
f yes, specify the content of the cured product fable 2, Contents for applied product ncluded substances and material line. Ione f any deviations from BVB's reporting respecify these in the comments in Table 2	equirements exi	EG N	lo./CAS I	No.	Weight% (of the approproduct)	lied	Comi (state non-h	any application armonized
Table 2, Contents for applied product included substances and material sone	equirements exi	EG N	lo./CAS I	No.	Weight% (of the approproduct)	lied	Comi (state non-h	any application armonized
yes, specify the content of the cured product fable 2, Contents for applied product included substances and material one	equirements exi	EG N	lo./CAS I	No.	Weight% (of the approproduct)	lied	Comi (state non-h	any application armonized
Table 2, Contents for applied product ncluded substances and material lone Fany deviations from BVB's reporting repecify these in the comments in Table 2	equirements exi	EG N	lo./CAS I	No.	Weight% (of the approproduct)	lied	Comi (state non-h	any application armonized
Table 2, Contents for applied product ncluded substances and material lone Fany deviations from BVB's reporting repecify these in the comments in Table 2	equirements exi	EG N	lo./CAS I	No.	Weight% (of the approproduct)	lied	Comi (state non-h	any application armonized
f yes, specify the content of the cured product fable 2, Contents for applied product ncluded substances and material line. Ione f any deviations from BVB's reporting respecify these in the comments in Table 2	equirements exi	EG N	lo./CAS I	No.	Weight% (of the approproduct)	lied	Comi (state non-h	any application armonized
f yes, specify the content of the cured product fable 2, Contents for applied product ncluded substances and material line. Ione f any deviations from BVB's reporting respecify these in the comments in Table 2	equirements exi	EG N	lo./CAS I	No.	Weight% (of the approproduct)	lied	Comi (state non-h	any application armonized
f yes, specify the content of the cured product fable 2, Contents for applied product ncluded substances and material lone f any deviations from BVB's reporting respecify these in the comments in Table 2	equirements exi	EG N	lo./CAS I	No.	Weight% (of the approproduct)	lied	Comi (state non-h	any application armonized
If yes, specify the content of the cured particle of the cured par	equirements exist, or alternative	EG N	Other co	No.	Weight% (of the approproduct)	ied	Comi (state non-h	any application armonized
If yes, specify the content of the cured particle 2, Contents for applied product included substances and material. None If any deviations from BVB's reporting respecify these in the comments in Table 2 there.	equirements exist, or alternative	EG N	lo./CAS I	No.	Weight% (of the approproduct)	lied	Comi (state non-h	any application armonized
f yes, specify the content of the cured product fable 2, Contents for applied product ncluded substances and material shone If any deviations from BVB's reporting respecify these in the comments in Table 2 here.	equirements exists, or alternative	EG N	Other co	No.	Weight% (of the approproduct)	ied	Comi (state non-h	any application armonized
f yes, specify the content of the cured product fable 2, Contents for applied product included substances and material shore. In a substance of any deviations from BVB's reporting respecify these in the comments in Table 2 here. Does the product or any of its subcomposubstances with particularly hazardous products of Very High Concern, SVHC	equirements exists, or alternative	st,	Other co	No.	Weight% (of the approproduct)	ied	Comi (state non-h	any application armonized
f yes, specify the content of the cured product able 2, Contents for applied product ncluded substances and material lone f any deviations from BVB's reporting repecify these in the comments in Table 2 lere. Does the product or any of its subcompositions with particularly hazardous products ances of Very High Concern, SVHC which are included in the Candidate List	equirements exists, or alternative	st,	Other co	No.	Weight% (of the approproduct)	ied	Comi (state non-h	any application armonized
f yes, specify the content of the cured parallel product of the comments of the cured parallel p	equirements exists, or alternative	st,	Other co	No.	Weight% (of the approproduct)	ied	Comi (state non-h	any application armonized
f yes, specify the content of the cured product fable 2, Contents for applied product included substances and material shore. The specify these in the comments in Table 2 here. Does the product or any of its subcomposubstances with particularly hazardous product or any of its subcomposubstances with particularly hazardous product or any of its subcomposubstances with particularly hazardous product or any of its subcomposubstances with particularly hazardous product or any of its subcomposubstances with particularly hazardous product or any of its subcomposubstances with particularly hazardous product or any of its subcomposubstances with particularly hazardous product or any of its subcomposubstances with particularly hazardous product or any of its subcomposubstances with particularly hazardous product or any of its subcomposubstances with particularly hazardous product or any of its subcomposubstances with particularly hazardous product or any of its subcomposubstances with particularly hazardous product or any of its subcomposubstances with particularly hazardous product or any of its subcomposubstances with particularly hazardous product or any of its subcomposubstances with particularly hazardous product or any of its subcomposubstances with particularly hazardous product or any of its subcomposubstances with particularly hazardous product or any of its subcomposubstances with particularly hazardous product or any of its subcomposubstances with particularly hazardous product or any of its subcomposubstances with particularly hazardous product or any of its subcomposubstances with particularly hazardous product or any of its subcomposubstances with particularly hazardous product or any of its subcomposubstances with particularly hazardous product or any of its subcomposubstances with particularly hazardous product or any of its subcomposubstances with particularly hazardous product or any of its subcomposubstances with particularly hazardous product or any of its subcomposubstances with particularly hazar	equirements exists, or alternative	st,	Other co	No.	Weight% (of the approproduct)	ied	Comi (state non-h	any application armonized

If yes, specify which substances in Table 1 together with the rest of the content of the product.						
State the date (year, month, day) for control the Candidate List. Date:						
The concentration is calculated at component level established on the principle "once a product, always a product".						
The Candidate List is available at: http://echa.europa.eu/sv/candidate-list-table.						
Nanomaterial						
Does the product contain any nanomaterial that has been purposefully added to achieve a specific function?						
Information regarding whether is achieve a specific function must the assessment.						
If yes, specify the material.			Material:			
3. Recycled rav		2				
Does the product contain re	ecycled material	(☐ Yes		□X No	
If yes, specify in Table 3.						
If the product consists of recycled materials specify the material and the percentages of the total weight of the product, in Table 3, Recycled materials. Table 3, Recycled material						
Material	Percentage (%)	of the recycled material that of the has not reached the consumer has		Percentage (%) of the recycled mat		Comments
	Recycled material of the total product's weight	has not reached to level, such as pro-	he consumer duction waste,	has reached the co (post-consumer)		
	Recycled material of the total product's	has not reached to level, such as pro-	he consumer duction waste,	has reached the co		
	Recycled material of the total product's	has not reached to level, such as pro-	he consumer duction waste,	has reached the co		
	Recycled material of the total product's	has not reached to level, such as pro-	he consumer duction waste,	has reached the co		
	Recycled material of the total product's	has not reached to level, such as pro-	he consumer duction waste,	has reached the co		
If wood raw material is in	Recycled material of the total product's weight	has not reached to level, such as pro-	he consumer duction waste,	has reached the co		
If wood raw material is in Can the product be ordered for the wood raw material?	Recycled material of the total product's weight ncluded with sustainabi	has not réached t level, such as pro- etc. (pre-consume	he consumer duction waste,	has reached the co		
Can the product be ordered	Recycled material of the total product's weight mcluded with sustainabi E.g.: FSC and PEFC	has not réached t level, such as pro etc. (pre-consume	he consumer duction waste, er)	has reached the co	nsumer level	
Can the product be ordered for the wood raw material? Explain if the certificate doe	Recycled material of the total product's weight mcluded with sustainabi E.g.: FSC and PEFC as not cover all co	has not reached to level, such as projects. (pre-consume etc. (pre-consume etc.) (pre-con	he consumer duction waste, er) X Yes naterial:	has reached the co (post-consumer)	No	her with the
Can the product be ordered for the wood raw material? Explain if the certificate doe MINKA has 100% PEFC If yes, attach a certificate/as	Recycled material of the total product's weight mcluded with sustainabi E.g.: FSC and PEFC as not cover all cossurance that the	has not reached to level, such as pro- etc. (pre-consume lity certificates of the wood raw note product can be	he consumer duction waste, er) X Yes naterial:	has reached the con (post-consumer)	No	her with the
Can the product be ordered for the wood raw material? Explain if the certificate doe MINKA has 100% PEFC If yes, attach a certificate/atapplication. If no, state the country whe	Recycled material of the total product's weight mcluded with sustainabi E.g.: FSC and PEFC as not cover all constructions are the wood raw	has not reached to level, such as project. (pre-consume etc. (pre-consume etc.) (pre-cons	DX Yes □ X Yes □ aterial:	has reached the con (post-consumer)	No	her with the
Can the product be ordered for the wood raw material? Explain if the certificate doe MINKA has 100% PEFC If yes, attach a certificate/as application. If no, state the country whe harvested. Is the wood species or origin	Recycled material of the total product's weight mcluded with sustainabi E.g.: FSC and PEFC and cover all consumers that the re the wood raw in the CITES approximately a	has not reached to level, such as project. (pre-consume etc. (pre-consume etc.) (pre-cons	DX Yes aterial: cordered with a country of h	has reached the con (post-consumer)	□ No	her with the
Can the product be ordered for the wood raw material? Explain if the certificate doe MINKA has 100% PEFC If yes, attach a certificate/as application. If no, state the country whe harvested. Is the wood species or origin endangered species?	Recycled material of the total product's weight mcluded with sustainabi E.g.: FSC and PEFC as not cover all consumance that the re the wood raw in in the CITES application phase	lity certificates of the wood raw note product can be remarked to material was	DX Yes aterial: cordered with a country of h	has reached the con (post-consumer)	□ No	her with the

Has an active choice been made, regarding the electricity supplier, in order to promote electricity production from renewable energy sources?	□X Yes		□ No	
Describe the type of energy source, percentage of energy ste has been applied, electricity supplier, and for which part of th MINKA has a photovoltaic plant and produces equivalent of 1	ne production it is vali	d for:		
5. Distribution of the completed produc				
Describe the management of packaging for the distribution of the product	Description of the pa	ackaging:		
State whether any system for taking back or recycling packaging or	Hatch protection: co	rrugated card	dboard	
any other specific return system is used.	Packaging: plastic foil			
Specify the packaging material used and which system of producer responsibility for packaging the supplier is affiliated to.				
Enter the proportion of recycled material, if any, included in the packaging.				
Other information:				
6. Construction and usage phase				
Are there any special requirements such as storage conditions etc. for the product during storage?	□X Yes		□ No	
If yes, describe: store in dry conditions				
Are there any special requirements for adjacent building products because of this product?	☐ Yes		□X No	
If yes, describe:				
Are there any operating/care instructions for the product?	☐ Yes		□X No	
If yes, attach the documentation with the application.				
Is the product energy labelled in accordance with the	☐ Yes	□ No		□X Not relevant

Class:

If yes, state class (G to A, A+, A++, A+++):

7. Waste management

Does the product require special measures to protect health and the environment in conjunction with demolition/dismantling?	☐ Yes	□X No
If yes, describe:		
Is the product covered by the WEEE-directive 2012/19/EU (Swedish ordinance (2014:1075) on Producer Responsibility for electrical and electronic products when it becomes waste?	☐ Yes	□X No
Is it possible to re-use all or parts of the product? (can the product be reused within the product's expected lifetime)?	Yes	□Х №
If yes, describe:		
Is material recycling possible for all or parts of the product when it becomes waste?	☐ Yes	□X No
If yes, describe:		
Is energy recycling possible for all or parts of the product when it becomes waste?	☐ Yes	□X No
Does the supplier have any restrictions and recommendations for reuse, material- or energy recycling or disposal?	☐ Yes	□X No
If yes, specify which:		
When the supplied product becomes waste, is it classified as hazardous waste?	☐ Yes	□X No
If yes, specify the waste code: The Swedish waste ordinance (2011:927) https://www.notisum.se/rnp/sls/lag/20110927.htm	Waste code: Bulky waste	
8. Indoor environment		
Has the product a critical moisture condition:	☐ Yes	□X No
Information regarding whether critical moisture conditions leading to microbial growth apply for the material/product should be stated, but will not impact the assessment.		
If yes, specify which:		
Is the article (or chemical product) intended for indoor use?	□X Yes	□ No
If yes, has emission data been produced for volatile organic compounds?	□X Yes	□ No
If yes, attach the report/certificate together with the applicat	ion.	
If no, is there any motivation for why emission data for volatile organic compounds is not relevant for the product?	Motivation:	

Certificate of substance content and concentrations version. 4.0

This certificate is required for the Recommended assessment level for chemical contents. This page should be printed to be signed and uploaded separately in PDF-format in connection with the application.

Certificate of declaration of substance content

		pecified below, with their stated article numbers, the following is certified: certify alternative A or B.
		It is hereby certified that concentrations of the included substances down to 0.01 weight % have been reported, and that cadmium and mercury do not occur in the product.
Α	$\square X$	or:
		The substances included are reported in line with the instructions for the Declaration of Contents, BVB's reporting requirements 2016-1, and correspond to the reporting requirements for the Recommended level.
		It is hereby certified that concentrations of the included substances down to 0.1 weight % have been reported, and that cadmium and mercury do not occur in the product.
В		or:
		The substances included are reported in line with the instructions for the Declaration of Contents, BVB's reporting requirements 2016-1, and correspond to the reporting requirements for the Accepted level.
		pecified below, with their stated article numbers, the following is certified: certify alternative C or D.
C		It is hereby certified that the specified product/s do not contain specifically indicated substances and groups of substances in accordance with Table 4, Specifically indicated substances. These have not been added during production and have not been formed through reactions between the substances in the product.
D		Unfortunately, we have to notify that the specified products contain specifically indicated substances in accordance with Table 4, Specifically indicated substances. Some of these substances have been added or been formed during reaction between the substances in the product, please see the Declaration of Contents.

Table 4. Specifically indicated substances

Substance group/Substance	Examples of properties
1. Arsenic and its compounds ¹	Toxic, Environmentally hazardous
2. Brominated flame retardants	Potentially PBT/vPvB, PBT/vPvB
3. PFOA (perfluorooctanioic acid)	Persistent, bioaccumulative, probable reproductive toxicity
4. PFOS (perfluorooctanesulfonates)	Potentially PBT/vPvB, PBT/vPvB
5. Organotin compounds	Potentially PBT/vPvB, PBT/vPvB, Toxic, Environmentally hazardous
 Biocidal product applied on products (surface treatments) to provide a disinfectant or anti-bacterial effect. 	Toxic, Environmentally hazardous

¹ Arsenic, or arsenic compounds, are not permitted to be added to the product. Contamination of used raw materials is not permitted to exceed 10 mg/kg. The concentration limit is set based on regulatory requirements for soil quality to ensure that accepted products do not raise background concentrations through their use or disposal (for example; sludge from sewage treatment works Swedish Ordinance 1998:944, Section 20). The same concentration limits are found in the Swedish Environmental Protection Agency's general guidelines for less sensitive land use (MKM).

Product identification:	Loft ladder Royal Polar 54/113/-275
(designation and article number)	Item No: 30161
State the reference document (name and version/date) that contains the actual Declaration of Contents:	
Person responsible for the declaration:	Johannes Franek
Signature:	
Place and date (year, month, day):	St. Lorenzen, Austria, 19.06.2018

Declaration of contents, BVB's declaration requirements, 2016-1

A complete declaration of contents in accordance with the instructions should be made for both products and chemical products. For products, concentrations have to be reported as a weight% for the entire product as minimum. The contents can be provided in other documentation, if the reporting instructions are complied with, or alternatively supplemented so that they are in compliance. Reporting requirements for the Accepted level correspond to the requirements for "e-BVD2015".

For the Accepted and Recommended levels, classified substances are needed to be reported in the documentation if concentrations exceed limits (weight%) in accordance with *Table 5*, *Classified substances*. Those substances that are not included in Table 5 must be reported when concentrations of ≥2% occur.

Material and substance contains can be provided in intervals. Examples of accepted intervals are: $\leq 1\%$, 1-2.5%, 2.5-10%, 10-25%, 25-50%, 50-75%, 75-100%. In occasion of large intervals, state the reason for the variance and describe what materials/substances increase or decrease in proportion if the product, for example, comes in different sizes.

If classification is applied that is not covered by harmonized classification, this information requires to be reported in the comments column for that substance.

Table 5, Classified substances

Hazard class	Reporting limit			
	Accepted	Recommended		
Carcinogenic categories 1A and 1B (H350)	≥ 0.1%	≥ 0.01%		
Carcinogenic category 2 (H351)	≥ 1%	≥ 0.1%		
Mutagenic categories 1A and 1B (H340)	≥ 0.1%	≥ 0.01%		
Mutagenic category 2 (H341)	≥ 1%	≥ 0.1%		
Reproductive toxicity, categories 1A and 1B (H360)	≥ 0.3%	≥ 0.03%		
Reproductive toxicity, category 2 (H361)	≥ 2%	≥ 0.3%		
Reproductive toxicity effects on or through breastfeeding (H362)	≥ 0.3%	≥ 0.03%		
Endocrine disruptors ^{1, 2}	≥ 0.1%	≥ 0.01%		
PBT and/or vPvB ³	≥ 0.1%	≥ 0.01%		
Skin sensitizers (H317)	≥ 1%	≥ 0.1%		
Respiratory sensitizers (H334)	≥ 0.2%	≥ 0.02%		
Hazardous to aquatic environments, chronic category 1 (H410)	≥ 2%	≥ 0.25%		
Ozone depleting substances (EUH 059 and H420)	≥ 0.1%	≥ 0.01%		
Acute toxicity category 1 (H300, H310, H330, H301, H311 and/or H331)	≥ 0.1%	≥ 0.01%		
Acute toxicity category 2 (H300, H310, H330, H301, H311 and/or H331)	≥ 1%	≥ 0.1%		
Acute toxicity category 3 (H300, H310, H330, H301, H311 and/or H331)	≥ 2%	≥ 1%		
Pure or compounds of cadmium (Cd)	≥ 0.01%	≥ 0.001%		
Pure or compounds of lead (Pb)	≥ 0.1%	≥ 0.01%		
Pure or compounds of mercury (Hg)	Contamination \geq 2.5 mg/kg (ppm) of active additives must always be reported.			
¹ Endocrine disruptors (EDS list)	≥ 0.1%	≥ 0.01%		
² Endocrine disruptors (SIN list)		≥ 0.01%		
³ PBT, vPvB (SIN list)	≥ 0.1%	≥ 0.01%		
Candidate List	≥0.1%*	≥ 0.01%		
Other classifications or unclassified substances and material	≥ 2%	≥ 2%		

^{*}Substances on the Candidate List have to be reported at component level.

Descriptions of material

Substances should be reported with their CAS- or EC number. Exemptions for certain material can be performed in accordance with the following instructions.

Metals should always be reported together with their alloy number. Alternatively, substances comprising more than 0.01% of the alloy has to be specified in the documentation.

Plastics and rubber materials should be reported together with their name so that it is clearly which monomers that are included, for example, acrylonitrile butadiene styrene (ABS), polyethylene (PE), etc. Additives that have not formed polymers should always be reported in accordance with requirements specified above (for example pigments, plasticizers, stabilizers, etc.).

Plastics/polymers with descriptions in line with the following list are accepted without specification of monomers.

- Polycarbonate (pertains to bisphenol A based polycarbonates)
- Polyester (monomers must be specified for halogenated polyesters)
- Polyurethane (monomers must be specified for halogenated polyurethanes)
- Fiberglass reinforced epoxy resin laminates FR4 (pertains to tetrabromobisphenol A based polymers)
- MS-polymer (refers to silane modified polyether)

Note that if the plastic/polymer contains additives (such as pigments, plasticizers, stabilizers, etc.), they shall always be reported in accordance with the declaration requirements.

Other materials with the following descriptions are accepted without clarification or detailed description of their components as the materials normally consist of:

- Glass (any content of lead needs to be reported for the assessment level recommended, e.g. relevant for recycled glass)
- Concrete (polymers included in the concrete are reported separately)

Examples of designations of plastics/polymers and other material descriptions that require further clarification are:

- Polymer dispersion
- Copolymer
- Thermoplastic elastomers (TPE)
- Thermoplastics
- MS polymers
- Mineral fillers
- Silanes: The type of polymer needs to be given, e.g. if it refers to a silane/silyl modified polyether or polyurethane.
- PVC: for contents above 2%, plasticizers always needs to be given with CAS no. Concentration of plasticizers below 2%, needs to be declared according to declaration requirements specified in Table 5. If no plasticizer is declared, the reason for that needs to be given.
- EPDM and SBR rubber: for levels above 2%, mineral/paraffin oil always needs to be given
 with CAS no. As an alternative, the maximal PAH content in the material can be given. For
 products intended to be used in contact with skin, the maximum content of PAH content
 shall be reported.
- The PAH content in the material needs to be reported for the assessment level recommended when asphalt/bitumen is present above 10% in the product.

For complex products, references to subcomponents which are assessed in BVB's systems with a specified BVB ID, can be used.

BVB's guideline and information requirements for assessment of product, Version 2016-1. Updated information 2017-10-30.