Byggvarubedömningen's guideline and information requirements for assessment of product, Version 2016-1.

These guidelines describe what information that Byggvarubedömningen requires for assessment of articles and chemical products. Information about the article or chemical product can be provided in this document, alternatively refer to another documentation in which the corresponding information is given.

1. Product information

Product

Product name:	Polar 60 mm 84/69/-255 4-teilig				
Article No.:	10641				
Specify the type of number, for example RSK, E number, EAN, GTIN or supplier's article number. This should also be stated on the application.	(Document ID: 10641-2018-1)				
Product description:	Productgroup: Loft Ladder				
On application, please attach a product data sheet or similar documentation.	High insulated 3-section loft ladder				
Type of product:	☐ Chemical product	□X Article			
Date (year, month, day) of preparation/revision:	19.06.2018				
Supplier/Manufacturer					
Supplier:	MINKA Holz- und Metallverarbeitung	gs GmbH			
Manufacturer if other than the supplier:					
Voluntary information					
Contact person:	Johannes Franek				
Address:	Flurgasse 6, A-8642 St. Lorenzen, A	ustria			
E-mail:	Johannes.franek@minka.at				
Phone number:	+43/3864 2238-56				
Supporting documentation					
Has a declaration of performance, in line with the Swedish Construction Products Regulation, been prepared for the product?	☐ Yes	□X No			
If yes, attach the declaration of performan	nce with the application				
Is the article/product an electronic product and covered by the RoHS-directive (2011/65/EU)?	☐ Yes	□X No			
If yes, attach an "EU Declaration of Confo corresponds to the requirements according	ng to the RoHS-directive (2011/65/EU)	icate that attests that the product , together with the application			
If the article/product is an electronic product that is covered by an exemption according to RoHS-directive (2011/65/EU), specify which exemption and date (year, month, day) when the exemption expires if time-limited:	Exemptions according to RoHS: Date:				

2. Declaration of contents:

Specify the total content of the article or the chemical product, **on delivery**, in Table 1, or alternatively attach other documentation that provides the corresponding information. For instructions, please refer to the "Declaration of contents, BVB's declaration requirements, 2016-1", which is found at the end of this document.

					mem m			requirements)
Included substances and material	EG No./CAS No.	(of	eight% entire educt)	When applica state 1	for	Weight substance subcomp	e in	Comments (state eventual application of non-harmonized
	(alternatively alloy)			which	mponent			classifications)
wood (spruce / HDF)	unoyy	72	,70%	frame, ladder				Anx. 4.1
Steel (Steel)			,80%		screws			Anx. 6.1, 6.3
polystyrene (polystyrene) plastics (PA / RakuPur)			50% 00%		nsulation opener			Anx. 2.1 Anx. 1.1, 3.1,
plastics (FA / Nakurul)		1,0	70	cane	opener			5.1
Are all substances reported in percentag in Table 1, alternatively follow the declar requirements for the level Recommender "Declaration of contents, BVB's declarati 2016-1, given at the end of this documer Enables the assessment Recommended)	ation d as described on requirement	in	□X Yes			□ No		
If not, does the declaration fulfill the inst level Accepted, as described in "Declarat BVB's declaration requirements, 2016-1" of this document?	tion of contents	5,	□X Ye	S		□ No		
If any deviations from BVB's reporting re specify these in the comments in Table 1 here.			Other co	omments	5:			
Is the chemical composition different, for applied (cured product) compared to the delivery? (applies to chemical products)		hen	☐ Yes			⊠ No		
If yes, specify the content of the cured p	roduct in Table	2.						
Table 2, Contents for applied product	s (full content	in ac	ccordance	e with d	eclaration	requirem	nents)	
Included substances and material		EG I	No./CAS I	No.	Weight% (of the appropriate (of the appropriate)		(state	ments any application of armonized fications)
None								
f any deviations from BVB's reporting re	quirements exi	st,	Other co	mments	5:			
specify these in the comments in Table 2	?, or alternative	ely						
here.								
nere.								

above 0.1 weight%?						
If yes, specify which substances in Table 1 together with the rest of the content of the product.						
State the date (year, month, day) for control the Candidate List. Date:						
The concentration is calculated at component level established on the principle "once a product, always a product".						
The Candidate List is availa	ble at: http://ech	na.europa.eu/sv/c	andidate-list-t	able.		
Nanomaterial						
Does the product contain as purposefully added to achie	ny nanomaterial eve a specific fur	that has been nction?	☐ Yes		□Х №	
Information regarding whether achieve a specific function must the assessment.						
If yes, specify the material.			Material:		1	
3. Recycled rav	w material					
Does the product contain re	ecycled material	?	☐ Yes		□Х №	
If yes, specify in Table 3.						
If the product consists of recycled materials specify the material and the percentages of the total weight of the product, in Table 3, Recycled materials.						
Table 3, Recycled material						
Material Percentage (%) of the recycled material that Recycled material of the total product's Percentage (%) of the recycled material that has not reached the consumer level, such as production waste, etc. (pre-consumer) Percentage (%) of the recycled material that has reached the consumer level (post-consumer)			6)	Percentage (%	.)	Comments
Material	(%) Recycled material of the total product's	of the recycled ma has not reached the level, such as production	aterial that he consumer duction waste,	has reached the co	terial that	Comments
Material	(%) Recycled material of the total	of the recycled ma has not reached the level, such as production	aterial that he consumer duction waste,	of the recycled ma has reached the co	terial that	Comments
Material	(%) Recycled material of the total product's	of the recycled ma has not reached the level, such as prod	aterial that he consumer duction waste,	of the recycled ma has reached the co	terial that	Comments
Material	(%) Recycled material of the total product's	of the recycled ma has not reached the level, such as prod	aterial that he consumer duction waste,	of the recycled ma has reached the co	terial that	Comments
Material	(%) Recycled material of the total product's	of the recycled ma has not reached the level, such as prod	aterial that he consumer duction waste,	of the recycled ma has reached the co	terial that	Comments
If wood raw material is in	(%) Recycled material of the total product's weight	of the recycled ma has not reached the level, such as prod	aterial that he consumer duction waste,	of the recycled ma has reached the co	terial that	Comments
	Recycled material of the total product's weight mcluded	of the recycled ma has not reached the level, such as prodetc. (pre-consume	aterial that he consumer duction waste,	of the recycled ma has reached the co	terial that	Comments
If wood raw material is in	Recycled material of the total product's weight mcluded with sustainabi E.g.: FSC and PEFC	of the recycled man has not reached the level, such as proceed to the level, such as proceed. (pre-consume)	iterial that the consumer duction waste, r)	of the recycled ma has reached the co	terial that onsumer level	Comments
If wood raw material is in Can the product be ordered for the wood raw material? Explain if the certificate doe	Recycled material of the total product's weight mcluded with sustainabi E.g.: FSC and PEFC es not cover all co	of the recycled may has not reached the level, such as proceed to the level, such as proceed. (pre-consume) lity certificates of the wood raw may be such as proceedings.	The consumer duction waste, or) X Yes Date in a consumer duction waste, or)	of the recycled ma has reached the co (post-consumer)	terial that onsumer level	
If wood raw material is in Can the product be ordered for the wood raw material? Explain if the certificate doe MINKA has 100% PEFC If yes, attach a certificate/a	Recycled material of the total product's weight mcluded with sustainabi E.g.: FSC and PEFC es not cover all co	of the recycled may has not reached the level, such as product can be	The consumer duction waste, or) X Yes Date in a consumer duction waste, or)	of the recycled ma has reached the co (post-consumer)	terial that onsumer level	
If wood raw material is in Can the product be ordered for the wood raw material? Explain if the certificate doe MINKA has 100% PEFC If yes, attach a certificate/a application. If no, state the country whee	Recycled material of the total product's weight mcluded with sustainabi E.g.: FSC and PEFC es not cover all constructions ssurance that the wre the wood raw	of the recycled may has not reached the level, such as product. (pre-consume etc. (pre-consume) lity certificates of the wood raw material was	□ X Yes □ X Yes ordered with	of the recycled ma has reached the co (post-consumer)	terial that onsumer level	
If wood raw material is in Can the product be ordered for the wood raw material? Explain if the certificate doe MINKA has 100% PEFC If yes, attach a certificate/a application. If no, state the country whe harvested. Is the wood species or origin	Recycled material of the total product's weight mcluded with sustainabi E.g.: FSC and PEFC es not cover all constructions ssurance that the re the wood raw in in the CITES ap	of the recycled may has not reached the level, such as product. (pre-consume etc. (pre-consume) lity certificates of the wood raw material was	□ X Yes □ X Yes □ aterial: ordered with Country of h	of the recycled ma has reached the co (post-consumer)	No	
If wood raw material is in Can the product be ordered for the wood raw material? Explain if the certificate doe MINKA has 100% PEFC If yes, attach a certificate/a application. If no, state the country whe harvested. Is the wood species or original endangered species?	Recycled material of the total product's weight mcluded with sustainabi E.g.: FSC and PEFC es not cover all co ssurance that the re the wood raw in in the CITES ap	of the recycled may has not reached the level, such as product. (pre-consume etc. (pre-consume etc.) of the wood raw material was ppendix for	□ X Yes □ X Yes □ aterial: ordered with Country of h	of the recycled ma has reached the co (post-consumer)	No	

application.		
Has an active choice been made, regarding the electricity supplier, in order to promote electricity production from renewable energy sources?	□X Yes	□ No
Describe the type of energy source, percentage of energy ste has been applied, electricity supplier, and for which part of th MINKA has a photovoltaic plant and produces equivalent of 1	ne production it is valid for:	

5. Distribution of the completed product

Describe the management of packaging for the distribution of the product	Description of the packaging:
State whether any system for taking back or recycling packaging or any other specific return system is used.	Hatch protection: corrugated cardboard
Specify the packaging material used and which system of producer responsibility for packaging the supplier is affiliated to.	Packaging: plastic foil
Enter the proportion of recycled material, if any, included in the packaging.	
Other information:	

6. Construction and usage phase

Are there any special requirements such as storage conditions etc. for the product during storage?	□X Yes		□ No	
If yes, describe: store in dry conditions				
Are there any special requirements for adjacent building products because of this product?	☐ Yes		□X No	
If yes, describe:				
Are there any operating/care instructions for the product?	☐ Yes		□Х №	
If yes, attach the documentation with the application.				
Is the product energy labelled in accordance with the Energy Labelling Directive (2010/30/EU)?	☐ Yes	□ No		□X Not relevant
If yes, state class (G to A, A+, A++, A+++):	Class:			

7. Waste management

Does the product require special measures to protect health and the environment in conjunction with demolition/dismantling?	☐ Yes	□X No
If yes, describe:		
Is the product covered by the WEEE-directive 2012/19/EU (Swedish ordinance (2014:1075) on Producer Responsibility for electrical and electronic products when it becomes waste?	☐ Yes	□X No
Is it possible to re-use all or parts of the product? (can the product be reused within the product's expected lifetime)?	Yes	□Х №
If yes, describe:		
Is material recycling possible for all or parts of the product when it becomes waste?	☐ Yes	□X No
If yes, describe:		
Is energy recycling possible for all or parts of the product when it becomes waste?	☐ Yes	□X No
Does the supplier have any restrictions and recommendations for reuse, material- or energy recycling or disposal?	☐ Yes	□X No
If yes, specify which:		
When the supplied product becomes waste, is it classified as hazardous waste?	☐ Yes	□Х №
If yes, specify the waste code: The Swedish waste ordinance (2011:927) https://www.notisum.se/rnp/sls/lag/20110927.htm	Waste code: Bulky waste	
8. Indoor environment		
Has the product a critical moisture condition:	☐ Yes	□X No
Information regarding whether critical moisture conditions leading to microbial growth apply for the material/product should be stated, but will not impact the assessment.		
If yes, specify which:		
Is the article (or chemical product) intended for indoor use?	□X Yes	□ No
If yes, has emission data been produced for volatile organic compounds?	□X Yes	□ No
If yes, attach the report/certificate together with the applicat		
If no, is there any motivation for why emission data for volatile organic compounds is not relevant for the product?	Motivation:	

Certificate of substance content and concentrations version. 4.0

This certificate is required for the Recommended assessment level for chemical contents. This page should be printed to be signed and uploaded separately in PDF-format in connection with the application.

Certificate of declaration of substance content

		ecified below, with their stated article numbers, the following is certified: certify alternative A or B.
		It is hereby certified that concentrations of the included substances down to 0.01 weight % have been reported, and that cadmium and mercury do not occur in the product.
A	$\square X$	or:
		The substances included are reported in line with the instructions for the Declaration of Contents, BVB's reporting requirements 2016-1, and correspond to the reporting requirements for the Recommended level.
		It is hereby certified that concentrations of the included substances down to 0.1 weight % have been reported, and that cadmium and mercury do not occur in the product.
В		or:
		The substances included are reported in line with the instructions for the Declaration of Contents, BVB's reporting requirements 2016-1, and correspond to the reporting requirements for the Accepted level.
		pecified below, with their stated article numbers, the following is certified: certify alternative C or D.
_		It is hereby certified that the specified product/s do not contain specifically indicated substances and groups of substances in accordance with Table 4, Specifically indicated substances. These have not been added during production and have not been formed through reactions between the substances in the product.
D		Unfortunately, we have to notify that the specified products contain specifically indicated substances in accordance with Table 4, Specifically indicated substances. Some of these substances have been added or been formed during reaction between the substances in the product, please see the Declaration of Contents.

Table 4, Specifically indicated substances

Substance group/Substance	Examples of properties
1. Arsenic and its compounds ¹	Toxic, Environmentally hazardous
2. Brominated flame retardants	Potentially PBT/vPvB, PBT/vPvB
3. PFOA (perfluorooctanioic acid)	Persistent, bioaccumulative, probable reproductive toxicity
4. PFOS (perfluorooctanesulfonates)	Potentially PBT/vPvB, PBT/vPvB
5. Organotin compounds	Potentially PBT/vPvB, PBT/vPvB, Toxic, Environmentally hazardous
6. Biocidal product applied on products (surface treatments) to provide a disinfectant or anti-bacterial effect.	Toxic, Environmentally hazardous

¹ Arsenic, or arsenic compounds, are not permitted to be added to the product. Contamination of used raw materials is not permitted to exceed 10 mg/kg. The concentration limit is set based on regulatory requirements for soil quality to ensure that accepted products do not raise background concentrations through their use or disposal (for example; sludge from sewage treatment works Swedish Ordinance 1998:944, Section 20). The same concentration limits are found in the Swedish Environmental Protection Agency's general guidelines for less sensitive land use (MKM).

Product identification:	Loft ladder Royal Polar 54/113/-275
(designation and article number)	Item No: 30161
State the reference document (name and version/date) that contains the actual Declaration of Contents:	
Person responsible for the declaration:	Johannes Franek
Signature:	
Place and date (year, month, day):	St. Lorenzen, Austria, 19.06.2018

Declaration of contents, BVB's declaration requirements, 2016-1

A complete declaration of contents in accordance with the instructions should be made for both products and chemical products. For products, concentrations have to be reported as a weight% for the entire product as minimum. The contents can be provided in other documentation, if the reporting instructions are complied with, or alternatively supplemented so that they are in compliance. Reporting requirements for the Accepted level correspond to the requirements for "e-BVD2015".

For the Accepted and Recommended levels, classified substances are needed to be reported in the documentation if concentrations exceed limits (weight%) in accordance with *Table 5*, *Classified substances*. Those substances that are not included in Table 5 must be reported when concentrations of ≥2% occur.

Material and substance contains can be provided in intervals. Examples of accepted intervals are: $\leq 1\%$, 1-2.5%, 2.5-10%, 10-25%, 25-50%, 50-75%, 75-100%. In occasion of large intervals, state the reason for the variance and describe what materials/substances increase or decrease in proportion if the product, for example, comes in different sizes.

If classification is applied that is not covered by harmonized classification, this information requires to be reported in the comments column for that substance.

Table 5, Classified substances

Hazard class	Reporting limit			
	Accepted	Recommended		
Carcinogenic categories 1A and 1B (H350)	≥ 0.1%	≥ 0.01%		
Carcinogenic category 2 (H351)	≥ 1%	≥ 0.1%		
Mutagenic categories 1A and 1B (H340)	≥ 0.1%	≥ 0.01%		
Mutagenic category 2 (H341)	≥ 1%	≥ 0.1%		
Reproductive toxicity, categories 1A and 1B (H360)	≥ 0.3%	≥ 0.03%		
Reproductive toxicity, category 2 (H361)	≥ 2%	≥ 0.3%		
Reproductive toxicity effects on or through breastfeeding (H362)	≥ 0.3%	≥ 0.03%		
Endocrine disruptors 1, 2	≥ 0.1%	≥ 0.01%		
PBT and/or vPvB ³	≥ 0.1%	≥ 0.01%		
Skin sensitizers (H317)	≥ 1%	≥ 0.1%		
Respiratory sensitizers (H334)	≥ 0.2%	≥ 0.02%		
Hazardous to aquatic environments, chronic category 1 (H410)	≥ 2%	≥ 0.25%		
Ozone depleting substances (EUH 059 and H420)	≥ 0.1%	≥ 0.01%		
Acute toxicity category 1 (H300, H310, H330, H301, H311 and/or H331)	≥ 0.1%	≥ 0.01%		
Acute toxicity category 2 (H300, H310, H330, H301, H311 and/or H331)	≥ 1%	≥ 0.1%		
Acute toxicity category 3 (H300, H310, H330, H301, H311 and/or H331)	≥ 2%	≥ 1%		
Pure or compounds of cadmium (Cd)	≥ 0.01%	≥ 0.001%		
Pure or compounds of lead (Pb)	≥ 0.1%	≥ 0.01%		
Pure or compounds of mercury (Hg)	Contamination ≥ 2 additives must alw	2.5 mg/kg (ppm) of active rays be reported.		
¹ Endocrine disruptors (EDS list)	≥ 0.1%	≥ 0.01%		
² Endocrine disruptors (SIN list)		≥ 0.01%		
³ PBT, vPvB (SIN list)	≥ 0.1%	≥ 0.01%		
Candidate List	≥0.1%*	≥ 0.01%		
Other classifications or unclassified substances and material	≥ 2%	≥ 2%		

^{*}Substances on the Candidate List have to be reported at component level.

Descriptions of material

Substances should be reported with their CAS- or EC number. Exemptions for certain material can be performed in accordance with the following instructions.

Metals should always be reported together with their alloy number. Alternatively, substances comprising more than 0.01% of the alloy has to be specified in the documentation.

Plastics and rubber materials should be reported together with their name so that it is clearly which monomers that are included, for example, acrylonitrile butadiene styrene (ABS), polyethylene (PE), etc. Additives that have not formed polymers should always be reported in accordance with requirements specified above (for example pigments, plasticizers, stabilizers, etc.).

Plastics/polymers with descriptions in line with the following list are accepted without specification of monomers.

- Polycarbonate (pertains to bisphenol A based polycarbonates)
- Polyester (monomers must be specified for halogenated polyesters)
- Polyurethane (monomers must be specified for halogenated polyurethanes)
- Fiberglass reinforced epoxy resin laminates FR4 (pertains to tetrabromobisphenol A based polymers)
- MS-polymer (refers to silane modified polyether)

Note that if the plastic/polymer contains additives (such as pigments, plasticizers, stabilizers, etc.), they shall always be reported in accordance with the declaration requirements.

Other materials with the following descriptions are accepted without clarification or detailed description of their components as the materials normally consist of:

- Glass (any content of lead needs to be reported for the assessment level recommended, e.g. relevant for recycled glass)
- Concrete (polymers included in the concrete are reported separately)

Examples of designations of plastics/polymers and other material descriptions that require further clarification are:

- Polymer dispersion
- Copolymer
- Thermoplastic elastomers (TPE)
- Thermoplastics
- MS polymers
- Mineral fillers
- Silanes: The type of polymer needs to be given, e.g. if it refers to a silane/silyl modified polyether or polyurethane.
- PVC: for contents above 2%, plasticizers always needs to be given with CAS no. Concentration of plasticizers below 2%, needs to be declared according to declaration requirements specified in Table 5. If no plasticizer is declared, the reason for that needs to be given.
- EPDM and SBR rubber: for levels above 2%, mineral/paraffin oil always needs to be given
 with CAS no. As an alternative, the maximal PAH content in the material can be given. For
 products intended to be used in contact with skin, the maximum content of PAH content
 shall be reported.
- The PAH content in the material needs to be reported for the assessment level recommended when asphalt/bitumen is present above 10% in the product.

For complex products, references to subcomponents which are assessed in BVB's systems with a specified BVB ID, can be used.

BVB's guideline and information requirements for assessment of product, Version 2016-1. Updated information 2017-10-30.